

DECLARATION OF PERFORMANCE

No. 001FINCIBEC

1. Unique identification code of the product type
 Type, batch or serial number or any other element allowing identification of the product
Dry-pressed ceramic tiles, with water absorption $E_b \leq 0,5 \%$
2. Intended use(s)
For internal and external walls and floorings
3. Name or registered trade mark, and contact address of the manufacturer
Fincibec Spa, Via Valle d'Aosta 47, 41049 Sassuolo (MO)-ITALY
4. System(s) of assessment and verification of constancy of performance (AVCP)
Systems 4
5. Name and identification number of notified laboratory, if relevant - **Not applicable**
 Task(s) carried out
 AVCO system
 Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1_{FL}/A1	EN 14411:2012
Release of dangerous substance, for:		
- Cadmium	NPD	
- Lead	NPD	
Breaking strength		
Thickness $\geq 7,5$ mm	>1300N	
Thickness $< 7,5$ mm	>700N	
Slipperiness	See table attached	
Tactility	NPD	
Bond strength/adhesion, for:	NPD	
Thermal shock resistance	Pass	
Durability for		
- internal use	Pass	
- external use: freeze-thaw resistance	Pass	

The performance of the product identified in point 1 is conformity with the declared performance in point 6

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Zagni Romano Legale Rappresentante

.....
 Name and function

Sassuolo, 07/06/2013

.....
 Place and date of issue


 Signature



DECLARATION OF PERFORMANCE

No. 002FINCIBEC

1. Unique identification code of the product type
Type, batch or serial number or any other element allowing identification of the product
Dry-pressed ceramic tiles, with water absorption $E_b > 10\%$
2. Intended use(s)
For internal and external walls and floorings
3. Name or registered trade mark, and contact address of the manufacturer
Fincibec Spa, Via Valle d'Aosta 47, 41049 Sassuolo (MO)-ITALY
4. System(s) of assessment and verification of constancy of performance (AVCP)
Systems 4
5. Name and identification number of notified laboratory, if relevant - **Not applicable**
Task(s) carried out
AVCO system
Document issued and date of issue

6. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1 _{FL} /A1	EN 14411:2012
Release of dangerous substance, for:		
- Cadmium	NPD	
- Lead	NPD	
Breaking strength	>600 N	
Slipperiness	NPD	
Tactility	NPD	
Bond strength/adhesion, for:	NPD	
Thermal shock resistance	Pass	
Durability for		
- internal use	Pass	

The performance of the product identified in point 1 is conformity with the declared performance in point 6

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Zagni Romano Legale Rappresentante

.....
Name and function

Sassuolo, 07/06/2013

.....
Place and date of issue


.....
Signature

Tabella - Scivolosità (dove richiesto dalla legislazione)

Table - slipperiness (where required by regulation)

Table - Glissement (si required by regulation)

Tabelle - Rutschsicherheit (wo erforderlich durch die Gesetzgebung)

Tabla - Deslizamiento (donde sea requerido por ley)

Rev. 01 del/of/de/vom/de 23/11/2020

Serie/Series	Product (only floor)	DIN 51130 (DE)	BCRA D.M. 236/1989(ITA)	Documento basico SU 3/2006 (ESP)
Elettra	All colours	R11	NDP	NDP
Crystal	All colours in natural finishing	R9	$\mu > 0,4$	NDP
	All colours in grip finishing	R11	$\mu > 0,4$	NDP
Stoneway	All colours in natural finishing	R9	NDP	NDP
Start	Create Nut, Metropolis in natural finishing	R9	$\mu > 0,4$	NDP
	Taupe, Concrete in natural finishing	R10	$\mu > 0,4$	NDP
Esedra	All colours in natural finishing	R9	$\mu > 0,4$	NDP
	All colours in grip finishing	R11	$\mu > 0,4$	NDP
Maker	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Fresco	All colours	R9	$\mu > 0,4$	NDP
Vision	All colours in natural finishing	R9	$\mu > 0,4$	NDP
	All colours in grip finishing	R11	$\mu > 0,4$	NDP
Chamarel	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Alpi	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Flair	All colours in natural finishing	R10	$\mu > 0,4$	NDP
Absolute	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Argille	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Belleville	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Fiber	Ortles, Fassa, Elga in natural finishing	R9	$\mu > 0,4$	NDP
Grand Tour	All colours in matt finishing	R9	$\mu > 0,4$	NDP
Hub	Brume, Soft Grey in natural finishing	R9	$\mu > 0,4$	NDP
	Pino Grigio, Tasso, Camaro in natural finishing	R10	$\mu > 0,4$	NDP
Anthology	All colours in natural finishing	R10	$\mu > 0,4$	NDP
Inside	Bush, Ocean, Sienne, Herb in natural finishing	R9	$\mu > 0,4$	NDP
	Tasso, Camaro in natural finishing	R10	$\mu > 0,4$	NDP
Le Marais	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Lithos	Silver, Sand, Alpine in natural finishing	R10	$\mu > 0,4$	NDP
	Fassa, Ortles in natural finishing	R9	$\mu > 0,4$	NDP
Lumiere	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Raku	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Rhapsody	All colours in natural finishing	R9	$\mu > 0,4$	NDP
Soft	Selva, Ortles in natural finishing	R9	$\mu > 0,4$	NDP
Surface	All colours in natural finishing	R9	$\mu > 0,4$	NDP